

# TOMCAT

ANOTHER INNOVATION BROUGHT TO YOU BY JOSCO





# CONTENTS

---

<b>Bevel Brushes</b> .....	<b>1.0</b>
<b>Cup Brushes</b> .....	<b>2.0</b>
<b>Wheel Brushes</b> .....	<b>3.0</b>
<b>Spindle-Mounted Cup Brushes</b> .....	<b>4.0</b>
<b>Spindle-Mounted Wheels</b> .....	<b>5.0</b>
<b>Strip-It Discs</b> .....	<b>6.0</b>
<b>Ordering Information</b> .....	

# TOMCAT BEVEL BRUSH

## 100mm Crimped Brass Coated High Carbon Steel Wire Multi-Thread

Part Number: TCB100

Barcode: 9314028252008

Recommended Power Tool:



- Excellent for removing rust, paint & corrosion
- Ideal for light surface treatments
- Flexible brushing
- Brass coated steel wire provides high tensile strength and cutting performance
- Use on steel, brass, iron, plastic and wood

**Wire Type**  
0.30mm Brass Coated High Carbon Steel Wire

**Maximum RPM**  
12,500

**Pack Type**  
Clamshell

**Inner Pack Quantity & Barcode**  
Quantity: 3  
Barcode: 19314028252005

**Outer Pack Quantity & Barcode**  
Quantity: 60  
Barcode: 29314028252002

## 100mm Crimped 316 Stainless Steel Wire Multi-Thread

Part Number: TCB100SS

Barcode: 9314028252046

Recommended Power Tool:



- Excellent for surface preparation
- For heavy-duty brushing applications
- Premium stainless steel wire
- Increased resistance to corrosion in marine environments
- Use on stainless steel and aluminium

**Wire Type**  
0.50mm High Carbon Steel Wire

**Maximum RPM**  
12,500

**Pack Type**  
Clamshell

**Inner Pack Quantity & Barcode**  
Quantity: 3  
Barcode: 19314028252043

**Outer Pack Quantity & Barcode**  
Quantity: 60  
Barcode: 29314028252040

## 100mm Crimped Brass Wire Multi-Thread

Part Number: TCB100BR

Barcode: 9314028252053

Recommended Power Tool:



- Excellent for surface preparation
- For light/medium duty brushing applications
- Premium brass wire
- Non-Sparking
- Best suited for application on brass and copper

**Wire Type**  
0.30mm Brass Wire

**Maximum RPM**  
12,500

**Pack Type**  
Clamshell

**Inner Pack Quantity & Barcode**  
Quantity: 3  
Barcode: 19314028252050

**Outer Pack Quantity & Barcode**  
Quantity: 60  
Barcode: 29314028252057

## 100mm Twistknot High Carbon Steel Wire Multi-Thread

Part Number: TTB100

Barcode: 9314028252015

Recommended Power Tool:



- Excellent for surface preparation
- Remove rust and paint
- For heavy-duty brushing applications
- Use on steel, brass, iron, plastic and wood

**Wire Type**  
0.50mm High Carbon Steel Wire

**Maximum RPM**  
12,500

**Pack Type**  
Clamshell

**Inner Pack Quantity & Barcode**  
Quantity: 3  
Barcode: 19314028252012

**Outer Pack Quantity & Barcode**  
Quantity: 60  
Barcode: 29314028252019

# TOMCAT BEVEL BRUSH

## 100mm Twistknot 316 Stainless Steel Multi-Thread

Part Number: TTB100SS

Barcode: 9314028252039

Recommended Power Tool:



- Excellent for surface preparation
- For heavy-duty brushing applications
- Premium stainless steel wire
- Increased resistance to corrosion in marine environments
- Use on stainless steel and aluminium



**Wire Type**  
0.50mm 316 Stainless Steel Wire

**Maximum RPM**  
12,500

**Pack Type**  
Clamshell

**Inner Pack Quantity & Barcode**  
Quantity: 3  
Barcode: 19314028252036

**Outer Pack Quantity & Barcode**  
Quantity: 60  
Barcode: 29314028252033

## 125mm Twistknot High Carbon Steel Wire 14x2mm Thread

Part Number: TTB125

Barcode: 9314028252022

Recommended Power Tool:



- Excellent for surface preparation
- Remove rust and paint
- For heavy-duty brushing applications
- Get into hard to reach areas easily
- Use on steel, brass, iron, plastic and wood



**Wire Type**  
0.50mm High Carbon Steel Wire

**Maximum RPM**  
12,500

**Pack Type**  
Clamshell

**Inner Pack Quantity & Barcode**  
Quantity: 3  
Barcode: 19314028252029

**Outer Pack Quantity & Barcode**  
Quantity: 30  
Barcode: 29314028252026

# TOMCAT CUP BRUSH

## 75mm Crimped Brass Coated High Carbon Steel Wire Multi-Thread

Part Number: TCC75

Barcode: 9314028252084

Recommended Power Tool:



- For deburring and rust removal
- Brass coated steel wire provides high tensile strength and cutting performance
- Use on steel, brass, iron, plastic and wood

**Wire Type**  
0.30mm Brass Coated High Carbon Steel Wire

**Maximum RPM**  
12,500

**Pack Type**  
Clamshell

**Inner Pack Quantity & Barcode**  
Quantity: 3  
Barcode: 19314028252081

**Outer Pack Quantity & Barcode**  
Quantity: 60  
Barcode: 29314028252088

## 75mm Crimped with Skirt Brass Coated Tyre Cord Steel Wire Multi-Thread

Part Number: TCTCS75

Barcode: 9314028252107

Recommended Power Tool:



- Extra heavy-duty tyre cord steel wire
- When the metal skirt is removed, additional wire is exposed for extra wear and longer life
- Skirt prevents wire splay when in use
- Use on steel, brass, iron, plastic and wood

**Wire Type**  
Heavy Duty Brass Coated Tyre Cord Steel Wire

**Maximum RPM**  
12,500

**Pack Type**  
Clamshell

**Inner Pack Quantity & Barcode**  
Quantity: 3  
Barcode: 19314028252104

**Outer Pack Quantity & Barcode**  
Quantity: 60  
Barcode: 29314028252101

## 75mm Crimped Brass Wire Multi-Thread

Part Number: TCC75BR

Barcode: 9314028252145

Recommended Power Tool:



- Ideal for surface finishing
- Brass wire is non-sparking
- Use on brass, copper and other non-ferrous metals

**Wire Type**  
0.50mm Brass Wire

**Maximum RPM**  
12,500

**Pack Type**  
Clamshell

**Inner Pack Quantity & Barcode**  
Quantity: 3  
Barcode: 19314028252142

**Outer Pack Quantity & Barcode**  
Quantity: 60  
Barcode: 29314028252149

## 65mm Twistknot High Carbon Steel Wire Multi-Thread

Part Number: TTC65

Barcode: 9314028252077

Recommended Power Tool:



- Excellent for surface preparation and the removal of rust and paint
- Heavy-duty twistknot wire
- Use on steel, brass, iron, plastic and wood

**Wire Type**  
0.50mm High Carbon Steel Wire

**Maximum RPM**  
12,500

**Pack Type**  
Clamshell

**Inner Pack Quantity & Barcode**  
Quantity: 3  
Barcode: 19314028252074

**Outer Pack Quantity & Barcode**  
Quantity: 60  
Barcode: 29314028252071

# TOMCAT CUP BRUSH

## 65mm Crimped High Carbon Steel Wire Multi-Thread

Part Number: TTC65F

Barcode: 9314028252299

Recommended Power Tool:



- Ideal for deburring and rust removal
- 30 Gauge wire
- Brush can either be used flat or at an angle to the work piece
- Use on steel, brass, iron, plastic and wood



**Wire Type**  
0.35mm High Carbon Steel Wire / 30 Gauge

**Maximum RPM**  
12,500

**Pack Type**  
Clamshell

**Inner Pack Quantity & Barcode**  
Quantity: 3  
Barcode: 19314028252296

**Outer Pack Quantity & Barcode**  
Quantity: 60  
Barcode: 29314028252293

## 75mm Twistknot High Carbon Steel Wire Multi-Thread

Part Number: TTC75

Barcode: 9314028252060

Recommended Power Tool:



- Excellent for surface preparation and the removal of rust and paint
- Heavy-duty twistknot wire
- Use on steel, brass, iron, plastic and wood



**Wire Type**  
0.50mm High Carbon Steel Wire

**Maximum RPM**  
12,500

**Pack Type**  
Clamshell

**Inner Pack Quantity & Barcode**  
Quantity: 3  
Barcode: 19314028252067

**Outer Pack Quantity & Barcode**  
Quantity: 60  
Barcode: 29314028252064

## 75mm Twistknot High Carbon Steel Fine Wire Multi-Thread

Part Number: TTC75F

Barcode: 9314028252138

Recommended Power Tool:



- Ideal for deburring and rust removal
- 30 Gauge wire
- Brush can either be used flat or at an angle to the work piece
- Use on steel, brass, iron, plastic and wood



**Wire Type**  
0.35mm High Carbon Steel Wire / 30 Gauge

**Maximum RPM**  
12,500

**Pack Type**  
Clamshell

**Inner Pack Quantity & Barcode**  
Quantity: 3  
Barcode: 19314028252135

**Outer Pack Quantity & Barcode**  
Quantity: 60  
Barcode: 29314028252132

## 75mm Twistknot with Skirt High Carbon Steel Wire Multi-Thread

Part Number: TTCS75

Barcode: 9314028252091

Recommended Power Tool:



- Heavy-duty twistknot wire
- When the metal skirt is removed, additional wire is exposed for extra wear and longer life
- Skirt prevents wire splay when in use
- Use on steel, brass, iron, plastic and wood



**Wire Type**  
0.50mm High Carbon Steel Wire

**Maximum RPM**  
12,500

**Pack Type**  
Clamshell

**Inner Pack Quantity & Barcode**  
Quantity: 3  
Barcode: 19314028252098

**Outer Pack Quantity & Barcode**  
Quantity: 30  
Barcode: 29314028252095

# TOMCAT CUP BRUSH

## 75mm Twistknot 316 Stainless Steel Wire Multi-Thread

Part Number: TTC75SS

Barcode: 9314028252121

Recommended Power Tool:



- **Excellent for surface preparation**
- **For heavy-duty brushing applications**
- **Premium stainless steel wire**
- **Increased resistance to corrosion in marine environments**
- **Use on stainless steel and aluminium**

**Wire Type**  
0.50mm 316 Stainless Steel Wire

**Maximum RPM**  
12,500

**Pack Type**  
Clamshell

**Inner Pack Quantity & Barcode**  
Quantity: 3  
Barcode: 19314028252128

**Outer Pack Quantity & Barcode**  
Quantity: 60  
Barcode: 29314028252125

## 100mm Twistknot HD Steel Wire 14x2mm Thread

Part Number: TTC100

Barcode: 9314028252114

Recommended Power Tool:



- **High Carbon Steel Wire provides long life aggression and cutting performance**
- **For heavy-duty brushing applications**
- **Use on steel, brass, iron, plastic and wood**

**Wire Type**  
0.50mm High Carbon Steel Wire

**Maximum RPM**  
12,500

**Pack Type**  
Clamshell

**Inner Pack Quantity & Barcode**  
Quantity: 2  
Barcode: 19314028252111

**Outer Pack Quantity & Barcode**  
Quantity: 20  
Barcode: 29314028252118



# TOMCAT WHEEL BRUSH

## 100mm Twistknot High Carbon Steel Wire Multi-Thread

Part Number: TTW100  
Barcode: 9314028252275  
Recommended Power Tool:



- Excellent for surface preparation and the removal of rust and paint
- Quick-Change multi-thread



**Wire Type**  
0.50mm High Carbon Steel Wire

**Maximum RPM**  
12,500

**Pack Type**  
Clamshell

**Inner Pack Quantity & Barcode**  
Quantity: 3  
Barcode: 19314028252272

**Outer Pack Quantity & Barcode**  
Quantity: 60  
Barcode: 29314028252279

## 125mm Twistknot High Carbon Steel Wire 14x2mm Thread

Part Number: TTW125  
Barcode: 9314028252282  
Recommended Power Tool:



- Excellent for surface preparation and the removal of rust and paint
- Quick-Change multi-thread



**Wire Type**  
0.50mm High Carbon Steel Wire

**Maximum RPM**  
12,500

**Pack Type**  
Clamshell

**Inner Pack Quantity & Barcode**  
Quantity: 3  
Barcode: 19314028252289

**Outer Pack Quantity & Barcode**  
Quantity: 60  
Barcode: 29314028252286

## 150mm x 12mm Crimped Brass Coated High Carbon Steel Wire Multi-Bore

Part Number: TWB15012  
Barcode: 9314028252237  
Recommended Power Tool:



- Excellent for surface preparation and the removal of rust, paint and weld scale
- 0.30mm Brass Coated Steel Wire



**Wire Type**  
0.30mm Brass Coated High Carbon Steel Wire

**Maximum RPM**  
6,000

**Pack Type**  
Clamshell

**Inner Pack Quantity & Barcode**  
Quantity: 3  
Barcode: 19314028252234

**Outer Pack Quantity & Barcode**  
Quantity: 60  
Barcode: 29314028252231

## 150mm x 20mm Crimped Brass Coated High Carbon Steel Wire 14x2mm Thread

Part Number: TWB15020  
Barcode: 9314028252244  
Recommended Power Tool:



- Excellent for surface preparation and the removal of rust, paint and weld scale
- 0.30mm Brass Coated Steel Wire



**Wire Type**  
0.30mm Brass Coated High Carbon Steel Wire

**Maximum RPM**  
6,000

**Pack Type**  
Clamshell

**Inner Pack Quantity & Barcode**  
Quantity: 2  
Barcode: 19314028252241

**Outer Pack Quantity & Barcode**  
Quantity: 30  
Barcode: 29314028252248

# TOMCAT WHEEL BRUSH

## 150mm x 20mm Crimped 316 Stainless Steel Wire

### Multi-Bore

Part Number: TWB15020SS

Barcode: 9314028252312

Recommended Power Tool:



- Excellent for surface preparation
- Works best for light/medium duty applications
- Increased wire density
- 316 grade premium stainless steel

**Wire Type**  
0.30mm 316 Stainless Steel Wire

**Maximum RPM**  
6,000

**Pack Type**  
Clamshell

**Inner Pack Quantity & Barcode**  
Quantity: 2  
Barcode: 19314028252319

**Outer Pack Quantity & Barcode**  
Quantity: 30  
Barcode: 29314028252316

## 150mm x 20mm Crimped Abrasive Nylon

Part Number: TWB15020N

Barcode: 9314028252329

Recommended Power Tool:



- Excellent for deburring, cleaning and edge blending
- Ideal for use on plastics and wood, removing rust and light burrs from steel, stainless steel and aluminium
- 180 abrasive grit impregnated in nylon

**Wire Type**  
180 Grit Abrasive Nylon Filaments

**Maximum RPM**  
6,000

**Pack Type**  
Clamshell

**Inner Pack Quantity & Barcode**  
Quantity: 2  
Barcode: 19314028252326

**Outer Pack Quantity & Barcode**  
Quantity: 30  
Barcode: 29314028252323

## 200mm x 12mm Crimped Brass Coated High Carbon Steel Wire

### Multi-Bore

Part Number: TWB20012

Barcode: 9314028252305

Recommended Power Tool:



- Excellent for surface preparation and the removal of rust, paint and weld scale
- 0.30mm High Carbon Steel Wire

**Wire Type**  
0.30mm High Carbon Steel Wire

**Maximum RPM**  
4,500

**Pack Type**  
Clamshell

**Inner Pack Quantity & Barcode**  
Quantity: 2  
Barcode: 19314028252302

**Outer Pack Quantity & Barcode**  
Quantity: 20  
Barcode: 29314028252309

## 200mm x 20mm Crimped Brass Coated High Carbon Steel Wire

### Multi-Bore

Part Number: TWB20020

Barcode: 9314028252251

Recommended Power Tool:



- Excellent for surface preparation and the removal of rust, paint and weld scale
- 0.30mm Brass Coated Steel Wire

**Wire Type**  
0.30mm High Carbon Steel Wire

**Maximum RPM**  
4,500

**Pack Type**  
Clamshell

**Inner Pack Quantity & Barcode**  
Quantity: 2  
Barcode: 19314028252258

**Outer Pack Quantity & Barcode**  
Quantity: 20  
Barcode: 29314028252255

# TOMCAT WHEEL BRUSH

## 200mm x 20mm Crimped 316 Stainless Steel Wire

### Multi-Bore

Part Number: TWB20020SS

Barcode: 9314028252268

Recommended Power Tool:



- Excellent for surface preparation
- Works best for light/medium duty applications
- Increased wire density
- 316 grade premium stainless steel



**Wire Type**  
0.30mm 316 Stainless Steel Wire

**Maximum RPM**  
4,500

**Pack Type**  
Clamshell

**Inner Pack Quantity & Barcode**  
Quantity: 2  
Barcode: 19314028252265

**Outer Pack Quantity & Barcode**  
Quantity: 20  
Barcode: 29314028252262

## 200mm x 20mm Crimped Abrasive Nylon

Part Number: TWB20020N

Barcode: 9314028252336

Recommended Power Tool:



- Excellent for deburring, cleaning and edge blending
- Ideal for use on plastics and wood, removing rust and light burrs from steel, stainless steel and aluminium
- 180 abrasive grit impregnated in nylon



**Wire Type**  
180 Grit Abrasive Nylon Filaments

**Maximum RPM**  
4,500

**Pack Type**  
Clamshell


**Inner Pack Quantity & Barcode**  
Quantity: 2  
Barcode: 19314028252336

**Outer Pack Quantity & Barcode**  
Quantity: 20  
Barcode: 29314028252330

# TOMCAT SPINDLE-MOUNTED CUP

## 25mm Crimped Brass Coated High Carbon Steel Wire

Part Number: TSC25

Barcode: 9314028252183 

Recommended Power Tool:



- Excellent for the removal of rust and paint, deburring and edge blending in light/medium duty applications
- Use on steel, brass, iron, plastic and wood

**Wire Type**  
0.30mm Brass Coated High Carbon Steel Wire

**Maximum RPM**  
4,500


**Pack Type**  
Clamshell

**Inner Pack Quantity & Barcode**  
Quantity: 5  
Barcode: 19314028252180

**Outer Pack Quantity & Barcode**  
Quantity: 100  
Barcode: 29314028252187

## 50mm Crimped Brass Coated High Carbon Steel Wire

Part Number: TSC50

Barcode: 9314028252411 

Recommended Power Tool:



- Excellent for the removal of rust and paint, deburring and edge blending in light/medium duty applications
- Use on steel, brass, iron, plastic and wood

**Wire Type**  
0.30mm Brass Coated High Carbon Steel Wire

**Maximum RPM**  
4,500


**Pack Type**  
Clamshell

**Inner Pack Quantity & Barcode**  
Quantity: 5  
Barcode: 19314028252418

**Outer Pack Quantity & Barcode**  
Quantity: 100  
Barcode: 29314028252415

## 75mm Crimped Brass Coated High Carbon Steel Wire

Part Number: TSC75

Barcode: 9314028252190 

Recommended Power Tool:



- Excellent for the removal of rust and paint, deburring and edge blending in light/medium duty applications
- Use on steel, brass, iron, plastic and wood

**Wire Type**  
0.30mm Brass Coated High Carbon Steel Wire

**Maximum RPM**  
4,500

**Pack Type**  
Clamshell

**Inner Pack Quantity & Barcode**  
Quantity: 5  
Barcode: 19314028252197

**Outer Pack Quantity & Barcode**  
Quantity: 100  
Barcode: 29314028252194

# TOMCAT SPINDLE-MOUNTED WHEEL

## 50mm Crimped Brass Coated High Carbon Steel Wire

Part Number: TSW50

Barcode: 9314028252428

Recommended Power Tool:



- Excellent for surface preparation and the removal of rust, paint and weld scale
- Use on steel, brass, iron, plastic and wood



**Wire Type**  
0.30mm Brass Coated High Carbon Steel Wire

**Maximum RPM**  
4,500

**Pack Type**  
Clamshell

**Inner Pack Quantity & Barcode**  
Quantity: 5  
Barcode: 19314028252425

**Outer Pack Quantity & Barcode**  
Quantity: 100  
Barcode: 29314028242422

## 75mm Crimped Brass Coated High Carbon Steel Wire

Part Number: TSW75

Barcode: 9314028252213

Recommended Power Tool:



- Excellent for surface preparation and the removal of rust, paint and weld scale
- Use on steel, brass, iron, plastic and wood



**Wire Type**  
0.30mm Brass Coated High Carbon Steel Wire

**Maximum RPM**  
4,500

**Pack Type**  
Clamshell

**Inner Pack Quantity & Barcode**  
Quantity: 5  
Barcode: 19314028252210

**Outer Pack Quantity & Barcode**  
Quantity: 100  
Barcode: 29314028252217

## 100mm Crimped Brass Coated High Carbon Steel Wire

Part Number: TSW100

Barcode: 9314028252206

Recommended Power Tool:



- Excellent for surface preparation and the removal of rust, paint and weld scale
- Use on steel, brass, iron, plastic and wood



**Wire Type**  
0.30mm Brass Coated High Carbon Steel Wire

**Maximum RPM**  
4,500

**Pack Type**  
Clamshell

**Inner Pack Quantity & Barcode**  
Quantity: 3  
Barcode: 19314028252203

**Outer Pack Quantity & Barcode**  
Quantity: 60  
Barcode: 29314028252200

# TOMCAT STRIP-IT DISC

## 100mm Disc

### Silicon Carbide Impregnated Nylon

16mm Bore

Part Number: TSD100

Barcode: 9314028252350

Recommended Power Tool:



- Excellent for surface preparation, cleaning welds, removal of paint and rust, varnish, graffiti and light scale
- Suitable for use on steel, stainless steel, timber, fibreglass, aluminium, granite and most metals

#### Material

Blue Silicon Carbide Abrasive Nylon Filaments

#### Maximum RPM

12,000

#### Pack Type

Single Disc

#### Inner Pack Quantity & Barcode

Quantity: 3

Barcode: 19314028252357

#### Outer Pack Quantity & Barcode

Quantity: 60

Barcode: 29314028252354

## 115mm Disc


### Silicon Carbide Impregnated Nylon

22mm Bore

Part Number: TSD115

Barcode: 9314028252367

Recommended Power Tool:



- Excellent for surface preparation, cleaning welds, removal of paint and rust, varnish, graffiti and light scale
- Suitable for use on steel, stainless steel, timber, fibreglass, aluminium, granite and most metals

#### Material

Blue Silicon Carbide Abrasive Nylon Filaments

#### Maximum RPM

11,000

#### Pack Type

Single Disc

#### Inner Pack Quantity & Barcode

Quantity: 3

Barcode: 19314028252364

#### Outer Pack Quantity & Barcode

Quantity: 60

Barcode: 29314028252361

## 125mm Disc


### Silicon Carbide Impregnated Nylon

22mm Bore

Part Number: TSD125

Barcode: 9314028252374

Recommended Power Tool:



- Excellent for surface preparation, cleaning welds, removal of paint and rust, varnish, graffiti and light scale
- Suitable for use on steel, stainless steel, timber, fibreglass, aluminium, granite and most metals

#### Material

Blue Silicon Carbide Abrasive Nylon Filaments

#### Maximum RPM

10,500

#### Pack Type

Single Disc

#### Inner Pack Quantity & Barcode

Quantity: 3

Barcode: 19314028252371

#### Outer Pack Quantity & Barcode

Quantity: 60

Barcode: 29314028252378

## 180mm Disc


### Silicon Carbide Impregnated Nylon

22mm Bore

Part Number: TSD180

Barcode: 9314028252398

Recommended Power Tool:



- Excellent for surface preparation, cleaning welds, removal of paint and rust, varnish, graffiti and light scale
- Suitable for use on steel, stainless steel, timber, fibreglass, aluminium, granite and most metals

#### Material

Blue Silicon Carbide Abrasive Nylon Filaments

#### Maximum RPM

6,000

#### Pack Type

Single Disc

#### Inner Pack Quantity & Barcode

Quantity: 3

Barcode: 19314028252395

#### Outer Pack Quantity & Barcode

Quantity: 60

Barcode: 29314028252392

# ORDERING INFORMATION

Part No.	Barcode	Inner Pack Barcode	Outer Pack Barcode
TCB100	9314028252008	19314028252005	29314028252002
TCB100BR	9314028252053	19314028252050	29314028252057
TCB100SS	9314028252046	19314028252043	29314028252040
TTB100	9314028252015	19314028252012	29314028252019
TTB100SS	9314028252039	19314028252036	29314028252033
TTB125	9314028252022	19314028252029	29314028252026
TTB125SS	9314028252404	19314028252401	29314028252408
TCC75BR	9314028252145	19314028252142	29314028252149
TCTCS75	9314028252107	19314028252104	29314028252101
TCC75	9314028252084	19314028252081	29314028252088
TTC100	9314028252114	19314028252111	29314028252118
TTC65	9314028252077	19314028252074	29314028252071
TTC75	9314028252060	19314028252067	29314028252064
TTC75F	9314028252138	19314028252135	29314028252132
TTC75SS	9314028252121	19314028252128	29314028252125
TTCS75	9314028252091	19314028252098	29314028252095
TTW100	9314028252275	19314028252272	29314028252279
TTW125	9314028252282	19314028252289	29314028252286
TWB15012	9314028252237	19314028252234	29314028252231
TWB15020	9314028252244	19314028252241	29314028252248
TWB20020	9314028252251	19314028252258	29314028252255
TWB15020N	9314028252329	19314028252326	29314028252323
TWB15020SS	9314028252312	19314028252319	29314028252316
TWB20012	9314028252305	19314028252302	29314028252309
TWB20020N	9314028252336	19314028252333	29314028252330
TWB20020SS	9314028252268	19314028252265	29314028252262
TSC25	9314028252183	19314028252180	29314028252187
TSC50	9314028252411	19314028252418	29314028252415
TSC75	9314028252190	19314028252197	29314028252194
TSW100	9314028252206	19314028252203	29314028252200
TSW75	9314028252213	19314028252210	29314028252217
TSW50	9314028252428	19314028252425	29314028242422
TTC65F	9314028252299	19314028252296	29314028252293
TSD100	9314028252350	19314028252357	29314028252354
TSD115	9314028252367	19314028252364	29314028252361
TSD125	9314028252374	19314028252371	29314028252378
TSD150	9314028252381	19314028252388	29314028252385
TSD180	9314028252398	19314028252395	29314028252392

# TOMCAT

ANOTHER INNOVATION BROUGHT TO YOU BY JOSCO

**For general enquiries and more information on Tomcat products, please contact us at:**

196 Hammond Road  
Dandenong South 3175

Free Call: 1800 445 444

Free Fax: 1800 447 388

Email: [customerservice@josco.com.au](mailto:customerservice@josco.com.au)

**[JOSCOAUSTRALIA.COM](http://JOSCOAUSTRALIA.COM)**